



Device Material Content

5555 NE Moore Ct. Hillsboro OR 97124 custreq@latticesemi.com		Package: 81 csBGA Total Device Weight 0.040 Grams			Package Code: CB81	Assembly: ASEM Size (mm): 5 x 5 Lead pitch (mm): 0.5 MSL: 3 Reflow max (°C): 260			
June, 2020					Products: ICE40LP				
	% of Total Pkg. Wt.	Weight (g)	% of Total Pkg. Wt.	Weight (g)	Substance	CAS #	% of Subst.	Notes / Assumptions:	
Die	9.05%	0.0036	9.05%	0.0036	Silicon chip	7440-21-3	100.00%	Die size: 1.50 x 1.50mm	
Mold Compound	58.98%	0.0236	51.61%	0.0206	Silica	60676-86-0	87.50%	Mold Compound: KEG1250 LKDS	
			3.83%	0.0015	Epoxy resin	-	6.50%		
			3.24%	0.0013	Phenol Resin	-	5.50%		
			0.29%	0.0001	Carbon Black	1333-86-4	0.50%		
D/A Tape	0.44%	0.00018	0.07%	0.000026	Epoxy Resin	-	15.00%	TAPE FH-900T-25_HR9004	
			0.07%	0.000026	Phenol Resin	-	15.00%		
			0.02%	0.000009	SiO2 Filler	99439-28-8	5.00%		
			0.29%	0.000114	(Meta)Acrylic Copolymer	-	65.00%		
Wire	1.42%	0.00057	1.41%	0.00056	Copper	7440-50-8	99.00%	0.7 MIL Pd COATED Cu	
			0.01%	0.00001	Palladium	7440-05-3	1.00%		
Solder Balls	1.74%	0.00070	1.72%	0.000687	Tin (Sn)	7440-31-5	98.50%	SAC105	
			0.02%	0.000007	Silver (Ag)	7440-22-4	1.00%		
			0.01%	0.000003	Copper (Cu)	7440-50-8	0.50%		
Substrate	16.73%	0.0067	5.19%	0.0021	BT Resins	-	31.00%	BT Resin CCL-HL832NX-A*	
			11.38%	0.0045	Glass fiber	65997-17-3	68.00%		
			0.17%	0.0001	Bisphenol A	80-05-7	1.00%		
Foil	7.61%	0.0030	6.24%	0.00249	Copper	7440-50-8	82.00%		
			1.15%	0.00046	Nickel plating	7440-02-0	15.10%		
			0.22%	0.00009	Gold plating	7440-57-5	2.91%		
Solder Mask	4.02%	0.0016	2.26%	0.00090	Quartz	14808-60-7	56.20%	Solder mask PSR4000 AUS 308	
			0.64%	0.00026	3-methoxy-3-methylbutylacetate	103429-90-9	16.00%		
			0.88%	0.00035	Barium Sulfate	7727-43-7	22.00%		
			0.12%	0.00005	Talc	14807-96-6	3.00%		
			0.02%	0.00001	Naphthalene	91-20-3	0.50%		
			0.09%	0.00004	Trade secret ingredients	-	2.30%		
Notes: SVHC: * 0.17% max. concentration of Bisphenol A (CAS# 80-05-7), contained in substrate laminate material as impurity - not intentionally added.									
<small>Lattice regards this materials information to be correct but makes no guarantee as to its accuracy or completeness, including, but not limited to, with respect to its compliance with applicable environmental laws and regulations. Lattice subcontracts the production, test and assembly of hardware devices to independent third-party vendors and materials suppliers ("Contractors"). All data provided hereunder is based on information received from Contractors. Lattice has not independently verified the accuracy or completeness of this information which is provided solely for your reference in connection with the use of Lattice products.</small>									
www.latticesemi.com									
Rev. E									